

U.S. Army Research Institute for the Behavioral and Social Sciences

Research Report 1538

Application of ARI Skill Retention Model to Wheel Vehicle Maintenance Tasks

Douglas Macpherson, Chavis Patterson, and Angelo Mirabella U.S. Army Research Institute



August 1989

Approved for public release; distribution is unlimited.

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES


A Field Operating Agency Under the Jurisdiction of the Deputy Chief of Staff for Personnel

EDGAR M. JOHNSON Technical Director

JON W. BLADES COL, IN Commanding

Technical review by

Joseph D. Hagman John J. Kessler





NOTICES

DISTRIBUTION: Primary distribution of this report has been made by ARI. Please address correspondence concerning distribution of reports to: U.S. Army Research Institute for the Behavioral and Social Sciences, ATTN: PERI-POX, 5001 Eisenhower Ave., Alexandria, Virginia 22333-5600.

FINAL DISPOSITION: This report may be destroyed when it is no longer needed. Please do not return it to the U.S. Army Research Institute for the Behavioral and Social Sciences.

NOTE: The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

REPORT	DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188
1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE	MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			//AVAILABILITY OF or public re		
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	ILE	distributi	ion is unlimi	ted.	
4. PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION RE	PORT NU	MBER(S)
ARI Research Report 1538		~-			j
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF M	ONITORING ORGAN	IZATION	
U.S. Army Research Institute	PERI-II				
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (Ci	ty, State, and ZIP Co	ode)	
5001 Eisenhower Avenue Alexandria, VA 22333-5600					
8a. NAME OF FUNDING / SPONSORING	86. OFFICE SYMBOL	9. PROCUREMEN	T INSTRUMENT IDE	NTIFICATI	ON NUMBER
ORGANIZATIONU.S. Army Research Institute for the Behavioral	(If applicable) PERI-I				
and Social Sciences 8c. ADDRESS (City, State, and ZIP Code)	PERI-I	10 SOURCE OF	FUNDING NUMBERS		
		PROGRAM		TASK	WORK UNIT
5001 Eisenhower Avenue		ELEMENT NO. 63744A	NO.	NO.	ACCESSION NO. 140
Alexandria, VA 22333-5600		63744A	795	344	140
11. TITLE (Include Security Classification) Application of ARI Skill Retent	tion Model to Wh	eel Vehicle	Maintenance	Tasks	
12 PERSONAL AUTHOR(S) Douglas Macpherson, Chavis Patt	coreen and Ange	lo Miraballa			
13a. TYPE OF REPORT				. 1.2	2455 501111
	7/09 TO 88/05	1989, Augu	RT (Year, Month, D ISt	ay) 13.	PAGE COUNT
16. SUPPLEMENTARY NOTATION					
/					
17. COSATI CODES	18 SUBJECT TERMS (Skill Retentio	Continue on revers	e if necessary and	identify b	y block number)
FIELD GROUP SUB-GROUP	Forgetting;		Training Cost		
	Skill Decay				
The Skill Retention Model in terms of such task character of the job aids. We administed mechanical/instructors (SMEs) a nine tasks were covered, five evaluated on both days and one nine tasks that are rapidly for the three tasks easily forgotted ways to improve training and care	is a model that ristics as the noted the Skill Reat the Ordnance tasks in five ho evaluator servingotten. Out of the from those the alculated how mu	describes humber of stetention Mode Center School urs on each ng on both deten task che at are not each ch retention	eps in the ta el to seven e el, Aberdeen, of two days, lays. We ide earacteristic easily forgot would incre	sk and xpert MD. with ntifie s, fiv ten. ase wi	the quantity wheeled vehicle A total of one task being d three out of e differentiated We recommended th improved
training.	1 (14) 11				
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT BUNCLASSIFIED/UNLIMITED SAME AS F	RPT DTIC USERS	1	CURITY CLASSIFICA		
22. NAME OF RESPONSIBLE INDIVIDUAL Douglas Macpherson		226 TELEPHONE (274-882	(include Area Code) 8	22c. OF PERI	FICE SYMBOL -II

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

Application of ARI Skill Retention Model to Wheel Vehicle Maintenance Tasks

Douglas Macpherson, Chavis Patterson, and Angelo Mirabella U.S. Army Research Institute

Automated Instructional Systems Technical Area Robert J. Seidel, Chief

Training Research Laboratory

Jack H. Hiller, Director

U.S. Army Research Institute for the Behavioral and Social Sciences 5001 Eisenhower Avenue, Alexandria, Virginia 22333-5600

Office, Deputy Chief of Staff for Personnel Department of the Army

August 1989

Army Project Number 2Q263744A795

Training and Simulation

The US Army Research Institute (ARI), in cooperation with TRADOC and its schools, performs research and development on ways to achieve more cost-effective training. In 1987, ARI joined with TRADOC and the US Army Ordnance Center and School (USAOC&S) in a partnership at Aberdeen Proving Ground (APG), Maryland, to identify and solve maintenance training problems. The partnership was defined by a memorandum of understanding (MOU) entitled "Establishment of a Training Technology Field Activity (TTFA) at the USAOC&S," and dated 10 May 1987.

The present report is one result of that partnership. The work was carried out as part of Task 344 by members of the Logistics Training Technologies Technical Area of the Training Research Laboratory in order to provide practical guidelines for designing maintenance training which will result in a high degree of skill retention and transfer.

This and other products of the TTFA were briefed to the Deputy Assistant Commandant, USAOC&S, in October, 1988. It will be used to help develop model training instruction and plan additional TTFA projects at USAOC&S. Its value was recognized by MG Ball, Commandant, USAOC&S, in a letter of appreciation to the author. In October 1989 this project was briefed in detail to a representative of the Israeli Army, who showed great interest in it.

EDGAR M. JOHNSON Technical Director APPLICATION OF ARI SKILL RETENTION MODEL TO WHEEL VEHICLE MAINTENANCE TASKS

EXECUTIVE SUMMARY

Requirement:

Support a Training and Doctrine Command (TRADOC) effort to identify performance deficiencies among 63W mechanics in FORSCOM units. Recommend corrective training procedures.

Procedure:

In order to identify potential performance deficiencies, we administered the Skill Retention Model to seven subject matter experts (SMEs) at the U.S. Army Ordnance Center & School (USAOC&S), Aberdeen Proving Ground (APG). The SMEs rated nine critical tasks on ten characteristics. From these ratings and a table in the Model, we generated skill decay curves for each task. We also identified reasons for the decay. Then we inferred and recommended corrective training procedures from the 10 subscales of the Model.

Findings:

- (1) It is feasible and practicable to administer the Skill Retention Model to SMEs at APG. A SME can easily evaluate two tasks per hour.
- (2) Three of the tasks rated are subject to severe skill decay: replace and time the fuel injector pump; diagnose engine that starts but stalls; diagnose engine that cranks but doesn't start. The SMEs disagreed among themselves on the task characteristics and, therefore, on the retention for remove/replace the steering gear. The SMEs agreed that the remaining five tasks were resistant to skill decay.
- (3) Out of ten task characteristics, five account for the results above, i.e., quality of technical manuals, number of facts to memorize, difficulty of facts to recall, mental requirements, and motor control requirements. The SMEs agreed that the tasks differed on these task characteristics and did not agree that the tasks differed on the other five characteristics.
- (4) From the 10 characteristics, we inferred and recommended ways to reduce skill decay through improved training and job aiding. We also estimated the increase in retention time for each training solution.

(5) We concluded that the model could be used routinely to help prioritize tasks for training and to evaluate cost-effectiveness tradeoffs.

Utilization of Findings:

- (1) Help USAOC&S and TRADOC decide whether to use the Retention Model routinely for training development and cost-effectiveness analysis.
- (2) Help the Training Technology Field Activity produce and test training development guidelines for programs of instruction at USAOC&S.

APPLICATION OF ARI SKILL RETENTION MODEL TO WHEEL VEHICLE MAINTENANCE TASKS

2.1 Subjects	CONTENTS		
1.1 Overview		P	age
1.2 Background			
1.3 Objectives of the Study			
2.0 METHOD	1.2 Background .		1
2.1 Subjects	1.3 Objectives of	the Study	2
2.2 Research Instruments			
2.3 Procedure			3
3.0 RESULTS			3
3.1 Application of the Skill Retention Model	2.3 Procedure .		4
3.2 Data on Skill Retention			
4.0 DISCUSSION			
4.1 Overview	3.2 Data on Skill	Retention	7
4.2 Training Development/Job Aiding Implications of the Results	4.0 DISCUSSION		
Implications of the Results			13
5.0 CONCLUSIONS			
6.0 SUMMARY	Implication	s of the Results	13
7.0 END NOTES	5.0 CONCLUSIONS		19
8.0 REFERENCES	6.0 SUMMARY		21
APPENDIX A. Task Descriptions	7.0 END NOTES		23
B. Definitions of Scales in Retention Model	8.0 REFERENCES		25
Model	APPENDIX A. Task Descrip	otions	27
Model	R Definitions	of Scales in Petention	
LIST OF TABLES Table 1. Task characteristics rating			65
Table 1. Task characteristics rating	C. Questionnai	re Administration Protocol	99
Table 1. Task characteristics rating			
LIST OF FIGURES Figure 1. Predicted engine diagnostic performance 10		LIST OF TABLES	
Figure 1. Predicted engine diagnostic performance 10	Table 1. Task character	ristics rating	9
		LIST OF FIGURES	
Figure 2. Predicted remove/replace performance	Figure 1. Predicted eng	ine diagnostic performance	10
	Figure 2. Predicted rem	nove/replace performance	11

APPLICATION OF ARI SKILL RETENTION MODEL TO WHEEL VEHICLE MAINTENANCE TASKS

1.0 INTRODUCTION

1.1 Overview

This report is one of a series in the Training Technology Field Activity (TTFA) program to improve automotive maintenance training at the U.S. Army Ordnance Center & School (USAOCS) (Ramsay, Kessler, & Mirabella, in preparation; Mirabella, Macpherson, & Patterson, 1988; & Kessler, in preparation). It shows how we used the ARI skill retention model to identify critical 63W10 tasks which are subject to severe forgetting (Rose, Manning, Radtke, & Ford, 1984; Rose et al., 1985a; Rose, Radtke, Shettel, & Hagman, 1985b). The report supports a larger TTFA effort to identify maintenance skill deficiencies (Applied Sciences Associates, 1988). It also demonstrates how the model can be used by school SMEs and quantifies the effort required.

1.2 Background

- a. The Army Research Institute has joined USAOCS and the Training Development & Analysis Directorate of TRADOC in a TTFA at Aberdeen, Maryland. The goal of the TTFA is to identify shortfalls in maintenance performance and then build one or more model course segments to demonstrate how those shortfalls can be reduced through improved training methodology. To identify the shortfalls, the TTFA representatives will observe 63W10s at work in FORSCOM active and reserve component maintenance units such as those at Forts Riley and Stewart.
- b. The results of the present study will supplement the field evaluations and could help us interpret the data from those evaluations. For example if we are unable to observe some critical tasks in the field we could substitute data obtained via the retention model. Or, if we find that Task X is done well at Riley but poorly at Stewart, we could turn to the skill retention data to find that this task is not well remembered unless it is practiced often. The "discrepancy" in field data would then make some sense, if we also found that Task X is performed more frequently at Fort Riley.
- c. To do the analysis, we selected the 1985 revision of the "User's Manual for Predicting Military Task Retention" (Rose et al., 1985b). The skill retention model is based upon extensive research into the task characteristics that are associated with skill retention. This version of the skill retention model was developed using 78 Army tasks and military personnel (Hagman et al., 1986). Furthermore, it has extremely high validity and reliability (Rose et al., 1984, 1985a; Hagman, 1986). It,

therefore, can be used with reasonable confidence for TTFA purposes.

The model is based upon ten task characteristics that were found to influence skill retention such as the quality of the available job aids, the number of steps in the task, and several mental characteristics of task performance. The "User's Manual" presents these characteristics as ten scales. Each scale is divided into a small number of categories. The subject matter expert (SME) examines the task and determines, for each scale, the category that best describes the task. Next the SME sums these retention values to determine the total retention score for the task. Finally the user refers to a table which translates the retention score into the percent of soldiers who will be able to perform the task without training for any period from a week up to a year. With the "User's Manual" the user can evaluate tasks which are so easy that they can be remembered without practice for a year as well as tasks so difficult that only a few performers can do them properly after a week off.

1.3 Objectives of the Study

- a. The principal objective was to provide explanatory information on task performance deficiencies in FORSCOM units by generating theoretical curves of pure forgetting without intervening practice for the unit tasks and based on task characteristics known to be associated with forgetting. This report is complete in the sense that it provides all the information that the reader needs to apply the methodology.
- b. A secondary goal was to support a related TTFA project "State of the Art Analysis of Research on Skill Acquisition, Retention, and Transfer." We want to use the results of that analysis to design improved training for a testbed maintenance task that is subject to severe skill decay. Results of the current study will help us select an appropriate task.
- c. A third goal was to find out if the retention model could be used easily at Aberdeen. The skill decay model is an inexpensive, quick, and valid way to prioritize tasks for training emphasis. We need to ensure, however, that the method does not impose an excessive personnel burden.

2.0 METHOD

2.1 Subjects

The raters were seven instructors from the Ordnance School's Wheel Vehicle Department at Edgewood MD. Each instructor had served in an Army maintenance unit. During the interview each demonstrated that he knew each of the tasks that he rated by such behaviors as discussing the strengths and weaknesses of the appropriate technical manuals from memory. No rater could be considered senior to the others, although the raters in the second group regarded one of their number as more knowledgeable concerning removal and replacement of the steering gear. One rater participated in both rating sessions.

2.2 Research Instruments. Three sets of instruments were used:

- Procedure lists for nine tasks. The task lists (Appendices C1 -C9) were prepared by Applied Science Associates (1988) from Army technical manuals, in order to evaluate 63W maintenance performance in FORSCOM active and reserve components. The first five tasks in the list below were selected as important by school SMEs and school training development personnel. - 9 were found to be frequently performed in the field by Applied Science Associates. Thus task 5 was considered important and was performed frequently in the field. Each list included the task steps, an indication of which steps had to be performed sequentially, the end products of the sub-tasks, the safety requirements, as well as the tools and materials needed. The tasks were:
 - (1) Diagnose hard starting
 - (2) Diagnose loss of engine power
 - (3) Diagnose stalling engine
 - (4) Diagnose engine which cranks but doesn't start
 - (5) Replace fuel injector pump
 - (6) Remove and replace the steering gear on an M35A2
 - (7) Remove and replace the axle on an M813A1
 - (8) Remove and replace the clutch on an M35A2
 - (9) Remove and replace the transmission on a M35A2.

- b. The Questionnaire for Predicting Military Task Retention (Rose et al., 1985b). The Questionnaire requires that the user rate the task on 10 scales that have been demonstrated to predict how quickly soldiers will forget tasks. The scales are: 1) presence of jcb/memory aid, 2) job/memory aid quality, 3) number of steps in the task, 4) sequence of steps, 5) feedback, 6) time pressure, 7) mental requirements, 8) number of facts to remember, 9) difficulty of remembering the facts, 10) motor control requirements. (See Appendix B for definitions).
- c. Tables for estimating skill retention. Rose et al., (1985b) and Hagman (1986) provide tables which allow the user to estimate the percentage of soldiers who will be able to perform a task after periods of no practice ranging from one week to 1 year. These tables are provided in Appendix B.

2.3 Procedure

- a. We administered the questionnai e to two groups of four SMEs. As stated, one SME was in both groups. The first rating session concentrated on the tasks that had been recommended by the Ordnance School. The second session was devoted to tasks which Applied Science Associates had observed were being performed in the field. Task 5, "remove and replace the fuel injector pump", was rated by both groups of SMEs.
- b. We interviewed each rater independently. We gave the rater a questionnaire and the "User's Manual" and then "talked" nim through the ratings. The task analyses and the questionnaire for predicting military task retention were amplified beyond the manual, according to the protocol in Appendix C. In addition we also "highlighted" the most relevant sections of the User's Manual so that the raters could find the information defining the scale values more quickly. At the request of our SMEs, we made two additions to the protocol. In response to our experts' uneasiness at rating recent graduates we defined our mechanic as one with two years experience. We standardized the location of the operations by specifying that all maintenance took place in the shop rather than in the field on maneuvers.
- c. After the SMEs finished their ratings, we assembled them into a group. The group then discussed each rating of each task until it reached a consensus or seemed unable to do so. If it failed to agree, we used the modal value, as required by the manual. Three situations occurred where we decided to present the disagreement among the observers. We present the two sets of data that were produced for these three tasks. We describe the situations producing the two sets of data below:
 - (1) In the "engine cranks, doesn't start diagnosis" the four raters split into two equal groups and were unwilling to shift. The manual states that both sets of results should be

used.

- (2) In the "remove/replace steering gear" task the rater considered most expert by the others scored the task on the basis that the job aids (manuals) would not be available on the shop floor, then was unable to attend the group session. We include his data because he was considered most knowledgeable, his responses demonstrate the predicted effect of lack of technical manuals, and they correspond with the informal observations of an Ordnance School field observer. Furthermore, they agreed with those of Schruman, Joyce and Porsche (1980) who, in their study of Army wheeled vehicle mair enance, reported that TMs were unavailable, obsolete, and that "mechanics who did try to use the manuals seemed unfamiliar with the layout and indexing" of them.
- (3) The "remove/replace fuel injector pump" was rated in both sessions because it was selected as important by school personnel and performed frequently in the field. Thus it was rated by the group of raters who rated the important tasks and the group who rated the frequently performed tasks.

3.0 RESULTS

- 3.1 Application of the Skill Retention Model.
- a. Total labor for application of the model to 8 SMEs was 26 hours or 2.8 hours per task. Total clock time was 10 hours or 1.0 hour per task. Each rater, working individually with an interviewer, took an hour to rate the 5 tasks, i.e. 12 minutes per task, per rater. The group discussion, led by the interviewer, took another hour for each group, i.e. 12 minutes per task. Interviewer labor was 12 min per task, per rater for independent sessions, and 12 minutes per task for the group sessions.
- b. The equations below were used to calculate the total effort required:
 - (1) SME labor (individual) = 12 min x number of tasks x number of raters
 - (2) SME labor (group session) = 12 min x number of tasks x number of raters
 - (3) Interviewer (individual) = 12 min x number of tasks x number of raters
 - (4) Interviewer (group session) = 12 min x number of tasks

3.2 Data on Skill Retention

a. The retention data appear in Table 1, which is a task The data's implications for task performance are scoring sheet. presented graphically in Figures 1 and 2. The table gives the group ratings for each task and questionnaire item. The tasks "Diagnostic" are presented in the left column in two groups -and "Remove & Replace." Total task ratings are shown under The numbered columns identify the scales. The "Total Score." labels for the columns present the scale values and instructions for skipping certain scales. The scale value assigned by the group to the task is on the row for that task. The cell for a column is filled with a dash when the instructions require that the scale be skipped. The right-most column translates the total scores into the time lapse since last proficient performance that is required for 50% of the troops to forget the task. the task "engine starts, but stalls" half the mechanics would be unable to perform the task to standards if they had not performed the task for about 6.5 weeks.

- b. Note that group ratings varied by one scale step or less for scales 1, 3, 4, and 5. Technical manuals exist for all the tasks. All tasks have more than 10 steps. All tasks are sequential or mostly sequential. All tasks were rated easy to perform within the time allotted. Scores for the remaining scales, however, varied considerably, e.g., the range of values for amount of feedback is 0 to 22. Scales that differentiated among tasks are listed below in order of decreasing effect on retention.
 - (1) technical manual quality,

(2) mental requirements,

(3) feedback provided by the task,

(4) number of facts to memorize,

- (5) ease of recalling the memorized facts, and
- (6) and physical skill required.

We identified and rank ordered the preceding scales by examining the columns of Table 1. We observed that the tasks differed by large numerical values on the scales listed above, and that these values represented adjacent scale categories. Examination of the Performance Predication Tables in Rose et al. (1985b) indicated that differences of these magnitudes would increase retention times by at least 50%, therefore we considered these scales to identify possible areas for training intervention.

- c. The task retention tables in the User's Manual were used to create two graphs presenting 12 retention curves for our nine tasks. The results are presented in Figures 1 and 2. Figure 1 shows that skills for low to moderate scoring tasks decay very rapidly compared to those for tasks with higher scores. For example, at one month the passing rate ranges from 90% for "engine hard to start" down to 33% for "engine cranks, not start 2" even though the soldiers were able to get a "GO" on all tasks a month earlier.
- d. Another way to see this difference in decay rates is to follow a horizontal line from, for instance, the 50% point on the Y-axis, mark where that line crosses each of the retention curves. Figure 2 shows that, without practice in replacing the fuel injector pump, 50% of repairmen would lose that replacement skill in only 2 months, according to the first group of raters. In contrast it would be 8 months before 50% of repairmen forget how to remove and replace an axle.
- e. Tasks achieving scores above 180 are not forgotten in a year, the maximum time spanned by the tables in Rose et al. (1985b). Since removing and replacing both the clutch and the transmission scored 180 or higher, the curves for these two tasks are plotted as a single line across the top of Figure 2.

Table 1
Task Characteristics Rating

		<u> </u>					S	Scale Q	Questions	ns					
MOS: 63W		ل_	-	2	3	4	5	9	7	8	6	_	0		
		_	(O)	(9 O.1 O.5	40										
		Solo:	01 00 00 00 00 00 00 00 00 00 00 00 00 0		0,5:	8.) oi		\	\ a					
	AP GOLD	100	10,40	2	A.,			****			8 1 12 8 0 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	949	\	
Task	Sept Sept	9			e a		170	% I		N. C.		200			
Diagnostic						-									
Engine cranks, doesn't start	-	2	0	0	61	40	2	8	0	2	0	201	3.5		
Engine cranks, doesn't start	-	2	0	0	19	4	0 3	_	-	2		1	9.0		
Engine starts, but stalls	1	25	0	5	22	3	5 3		3	==	0	122	6.5		
Engine hard to start	1	25	0	5	22	3	5 28	8	0	=	91	163			
Engine has loss of power	-	25	0	5	22	3	5 3	20	3	4	9	191	28.0		
								_	_	-	\dashv				
Remove & Replace								-	4	-	1				
Fuel injector pump (group 1)	1	2	0	5	_	3	5	3	~ ~	12	9]	32	2.5		
Fuel injector pump (group 2)	1	2	0	5	22	3	2	3	3	31	9	128	8.0		
Steering gear (w/o manual)	0	-	0	0	22	3	5	7	<u></u>	=	7	145	13.0		
Steering gear (with manual)	1	99	i	1	<u> </u>	3	5 2	8	<u>∞</u>	3	2	171	52.0 +		
Axle	-	26		ı	1	3	35 28		3	31		2	34.0		
Transmission	1	56	<u>'</u>	1	-	3	5 28	8 20	_	31	16	180	52.0 +		
Clutch	1	56	1	!		3	5 2	8 20		34	9	183	52.0+		




Fig 1. Predicted engine diagnostic performance




Fig 2. Predicted remove/replace performance

- f. As described in the procedure section multiple scores are presented for three tasks:
 - (1) The task "engine cranks, doesn't start" two SMEs believed that the mental requirements (scale 7) best matched the "simple" examples in the manual, whereas the other two believed that the average 63W mechanic found the mental requirement more like the "complex" examples. Although these responses were adjacent on the rating scale, tasks with complex mental requirements are retained only half as long as those with simple mental requirements.
 - (2) "Remove and replace fuel injector pump" received ratings from the two rating groups. The two ratings differ primarily because the first group believed that the task provided feedback only at the end, when the mechanic tested the pump. The second group considered that each step provided feedback, that the mechanic could tell if he had miss-threaded a nut, for instance. Thus the difference between these ratings is a result of differing definitions of the scope of feedback to be considered in the evaluation.
 - (3) In "remove and replace steering gear" the most expert SME on that task stated that manuals were not used on the shop floor. The remaining SMEs scored the manuals "excellent" and stated that they were available to the mechanics on the shop floor. Thus we present the "without manual" results with the caveat that they represent the judgment of one individual rather than a consensus. As stated in the procedure section other observers have commented on the lack of manuals on the shop floor in the field.

4.0 DISCUSSION

4.1 Overview

- a. The results show that it is feasible to use the Skill Retention Model as a tool for differentiating and prioritizing critical tasks at the USAOCS. The model can be used to identify those tasks most susceptible to skill decay and therefore most in need of special training resources. Given its high reliability and validity the model provides a very cost-effective supplement to field studies since the current procedure can process 1 task per clock hour. A similar number of tasks, studied in the field is currently taking about 8 months, at a cost of about \$200,000 in contract funds, in addition to extensive labor by TRADOC and ARI personnel. The model, however, is not a substitute for good field evaluation, which reflects many factors other than pure forgetting and which provides details not available from the model. However, it is a critical supplement, since it permits the user to quickly evaluate large numbers of tasks.
- b. This application of the model demonstrated that SMEs could agree on appropriate scale values a large proportion of the time, since they agreed to disagree on only one task of the nine studied, "engine cranks, doesn't start." The results of the two administrations of "Remove and replace fuel injector pump" suggest that intra-group agreement on a task does not rule out different ratings by different groups. Thus, when multiple groups are being used to rate tasks some of the same tasks should be rated by all the groups, so that any biases can be corrected. The correction might consist of immediate retraining of the discrepant groups or post-hoc adjustment of their scores, thereby making all group ratings more comparable.
- c. The results also point to clues as to how to overcome the performance deficiencies predicted by this study. They do so by identifying potential task and training variables which account for low task ratings, and especially variables which differentiate among the tasks studied. We discuss these clues further in the next section.
- 4.2 Training Development/Job Aiding Implications of the Results
 - a. Job Aids.
 - (1) Problem
- (a) A major difference among the tasks was the varying quality of available technical manuals (TMs). TMs don't help much if they are hard to search through. If they were judged

"excellent" then the task would be performed correctly for twice as long as the same task with less than excellent manuals. The curves for the "remove and replace steering" demonstrate how important available excellent manuals can be.

- (b) The major difference among the TMs' effectiveness for the different tasks was in the number of manuals required to perform the task. The low rated tasks tended to require searching multiple manuals to do the job whereas the other tasks did not.
 - (2) Training Solutions.
- (a) Increase the amount and quality of training in how to use TMs, especially where multiple TMs are required.
- (b) Place even more emphesis on requiring 63W students in Phases 1 and 2 to use manuals in all aspects of training. Give much more experience in the tasks requiring multiple manuals.
- (c) Develop special aiding techniques for tasks requiring multiple manuals or very difficult searches through the TMs. e.g. special checklists which pull procedures together in one place. (See Swezey (1987) and Elliot & Joyce (1971) for detailed guidance). Use the results from applications of the skill retention model to identify the tasks most in need of special job aiding.
- (3) Example of Pay-off. For the "engine cranks doesn't start" problem, the 50% failure rate point could move from 4 days to 3.5 weeks with improved job aiding. Excellent job aiding places the memory in the aid so, essentially, the job is not forgotten as long as the job aid is used.

b. Mental Requirements

(1) Problem.

- (a) We could double retention by doing a better job of teaching students to analyze maintenance problems more effectively. This is, in fact, the goal of the Basic Skills and Knowledge (BKS) training, Phase I of the 63W10 Program at Aberdeen. But, nothing the ARI researchers have observed would suggest that Phase I training has a marked effect on task performance or retention (Ramsay et al., 1988).
- (b) The "Users Manual" provides clues for solving the "mental requirements" problem. It describes simple mental processing as "making gross comparisons ... or performing simple computations" (op. cit. p. 29). "Complex mental processes require the soldier to make a choice ... based on subtle but

discrete clues (e. g., ... identifying different types of aircraft or vehicles)" (op. cit. p. 29). Thus the manual implies that the students must be taught how to discriminate, generalize, and reason about situations so well that the behaviors required become as natural as gross comparisons or simple computations.

(2) Solutions:

- (a) Front-end Analysis (FEA). Apply the basic principles of FEA described in the Harless method (Harless, 1982). In particular identify where soldiers must discriminate or generalize to perform effectively. The Army routinely ignores this prescription and describes tasks as lists of chained procedures, an inaccurate and misleading approach. We can't begin to solve the skill decay problem imposed by "mental requirements" unless we define those requirements accurately and operationally.
- (b) Apply special techniques and pay special attention to training discriminations and generalizations, as explained in Harless (1982). These techniques included isolating these parts of a task, using verbal mediators or shaping techniques for difficult discriminations, and providing added practice. For instance it might be possible to train soldiers to use learn auditory diagnostic cues to the level that these cues would be as natural as gross comparisons. Among the target cues might be universal joint, differential, and brake noises. We suspect that auditory cue training might be useful in adjusting the fuel injector assembly.
- (3) Example of Pay-off. For the "replace fuel injector pump" task improved methods for coping with "mental requirements" could move the 50% failure rate point from 2.5-8.0 to 5.0-16.0 weeks.
 - c. Number of Facts to Memorize/Difficulty to Remember

(1) Problem:

(a) Number of facts contributes substantially to skill decay for the three tasks involving engine starting problems. Difficulty of remembering facts is an added problem for a cranking engine that won't start. Number of facts is not a major problem for the remaining tasks, although the few facts connected with replacing the fuel injector pump were considered a bit difficult to recall by one group of SMEs.

(2) Solutions:

(a) Good job aids can do much to off-set this problem. The key however is to make the facts easy to get at. The SMEs stressed that facts buried in multiple TMs are not easy to find.

A small well indexed card catalog with the most frequently used tolerances, settings, and diagnostic readings may be one answer. The Skill Retention Model can help identify what set of facts should go in the catalog.

(b) Training solutions.

- (i) If a task has 8 or more facts, pull them out in a condensed list and give the trainee practice in reviewing the list. Teach three or four facts at a time. Do this before the soldiers practice the whole task, and then again after they finish the task. If the same facts are used in other tasks, prepare a list of those tasks so that the trainees can see how the facts generalize. Show clearly how the same fact (e.g tolerance, spec, formula) applies to other tasks.
- (ii) Use memory aids (i.e. mnemonics). This requires cleverness on the part of the instructor to generate mnemonics which make sense and are easy to remember for these particular students and topics. e.g. the instructor may need different mnemonics for different types of students.
- (3) Example of Pay-off. Successful efforts to reduce the skill decay effects of large numbers of facts would move the 50% failure rate point for diagnosing a stalling engine from 6.5 to 9.5 weeks.

d. Motor Control Requirements

- (1) Problem. The "User's Manual" and its first author state that tasks requiring a considerable amount of motor control, such as that required for touch typing or driving a manual transmission car, are retained better than other tasks of greater or lesser difficulty. Some of the tasks, "hard-starts", injector replacement", and "power loss" require considerable amounts of motor control, the optimal level for task retention. Other tasks, such as "remove and replace clutch", "engine cranks/no start", and "engine stalls", do not.
- (2) Solution. Consider increasing the complexity of the physical performance demands of the task during training. For example, require use of torque wrenches and other precision tools even though they may not be required or used on the job.
- (3) Example of Pay-off. For the "engine stalls" problem, the 50% failure point would move from 6.5 to 10 weeks.
- 4.3 Implications of the Model and the study for cost-training effectiveness analysis (CTEA).

- a. The examples of pay-off suggest that the Skill Retention model can be a very useful tool in doing CTEAs, i.e. in answering the question "how much is a pound of training worth". For example, we can, with relative ease (e.g. see Adams, 1986), estimate costs for any proposed training solution or solutions derived from the model and then estimate from the model, the number of weeks of retention provided by the solution.
- b. For example, the model suggests that a 50% pass rate for replacing the fuel injector pump can be extended from 2.5 to 5 weeks (worst rating) if we provide job aids that help the mechanic move through multiple TMs. We can estimate how much it will cost to develop and implement the job aid or even alternative job aids. Putting a value on the extra 2.5 weeks is not quite as straight forward, but with some imagination it can be done. Look at the cost of retraining, especially for reserve units that meet once a month. You can then make statements of the form "a dollar for improved training will save two dollars in retraining".

5.0 CONCLUSIONS

- 5.1 We conclude that the Skill Retention Model can:
 - a. be administered easily and at modest cost to APG SMEs,
 - b. predict skill decay for wheel vehicle maintenance tasks,
 - c. identify tasks that will be forgotten most quickly,
 - d. identify task features that promote skill retention,
- e. help define training to reduce maintenance skill decay, and
 - f. support cost training effectiveness analysis.
- 5.2 The Skill Retention Model is sensitive to differences in how fast 63W skills decay and can be used with 63W SMEs. Furthermore, prior research has proven that the model is reliable and valid. Therefore, we recommend that
 - a. it be used to rate the remaining 63W tasks, and
 - b. that its use in CTEA be examined.

6.0 SUMMARY

- 6.1 The questionnaire provided in the "User's Manual for Predicting Military Task Retention" was completed by seven wheeled vehicle SMEs at Edgewood Arsenal, working in two groups. group of SMEs rated five tasks that had been selected by school personnel as important. The other group rated five tasks that occur frequently in the field. One of the tasks was rated by both groups since it had been selected as important by the school and occurred frequently in the field. The raters were able to use the instrument to rate ten task characteristics. The instrument discriminated between the tasks and predicted large differences in the retention of different tasks. The results of the ratings suggested that 63Ws may need much more frequent refresher training on some tasks than might be expected. The descriptions of the rating scales provided in the "User's Manual for Predicting Military Tack Retention" suggested approaches to revising the training that could increase retention.
- 6.2 We concluded that the Skill Retention Model is sensitive to differences among 63W tasks, that it can be used by 63W SMEs, and that it can help identify job aiding and training procedures to reduce skill decay. We also concluded that it could be a useful tool for cost-training effective analysis.

7.0 END NOTES

- 1. The steering gear replacement is not an exception. One rater stated that they exist but are not available on the shop floor. The reason for including this rater is explained in the text.
- 2. The reasons for two sets of results for some tasks were explained in the procedure section.
- 3. For instance, the initial analysis suggested that the diagnostic tasks should be critical. The field research failed to observe them and determined that the remove and replace tasks were critical in terms of frequency of actual performance.

8.0 REFERENCES

- Adams, A. V., & Rayhawk, M. (1987). A Review of Models of Cost and Training Effectiveness (CTEA) Volume II Cost Analysis (ARI Research Note 87-59). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences. (AD A189 645)
- Applied Science Associates. (1988). <u>Data Collection Plan: Improvement of 63W Wheel Vehicle Repairer Job Performance</u>. Washington, DC: Applied Science Associates.
- Elliot, T. K. & Joyce, R. P. (1971). An experimental evaluation of a method for simplifying electronic maintenance. <u>Human Factors</u>, 13, 217-227.
- Hagman, J. D., Hayes, J. F., & Bierswirth, W. (1986). At the squad through company level a method for estimating task retention: Research pays off. <u>Army Trainer</u>, Fall, 54-55.
- Harless J. H. (1982). <u>Notebook for Workshop on Front-End Analysis</u>, <u>Job Aiding</u>, and <u>Course Design</u>. Newman, GA: Harless Performance Guild, Inc.
- Kessler, J. (in preparation). A Discrete Event Simulation Model for Determining Optimal Flow of Classes Through the 63W Advanced Course (ARI Technical Report). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.
- Mirabella, A., Macpherson, D., & Patterson, C. (in preparation). State of the Art Analysis of Research on Skill Acquisition, Retention, and Transfer (ARI Technical Report). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.
- Radtke, P. H., Rose, A., Shettel, H. H., & Hagman, J. (revised June 1985). <u>User's manual for predicting military task retention</u>. Washington, DC: American Institutes for Research.
- Ramsay, D., Kessler, J. J., & Mirabella, A. (August 1987). Needs Analysis of the 63W10 Course at Aberdeen Proving Ground (ARI Research Report). (In preparation), Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.
- Rose, A. M., Czarnolewski, M. Y., Gragg, F. E., Austin, S. H., Ford, P., Doyle, J., & Hagman, J. D. (1985a). Acquisition and Retention of Soldiering Skills (ARI Technical Report 671). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences. (AD A140 336)
- Rose, A.M., Manning, C., Radtke, P., & Ford, J. P. (1984).

 <u>Acquisition and Retention of Soldiering Skills: Report of Year 2 Progress.</u>

 (ARI Research Note 84-85). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences. (AD A142 436)

Rose, A. M., Radtke, P. H., Shettel, H. H., & Hagman, J. D. (1985b). <u>User's Manual for Predicting Military Task Retention</u> (ARI Research Product 85-26). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences. (AD A163 710)

Schurman, D. L., Joyce, R. P., & Porsche, A. J. <u>Assessing Use of Information Sources and Quality of Performance at the Work Site</u>. Valencia, PA: Applied Science Associates.

Swezey, R. W. (1987). Design of Job Aids and Procedure Writing. In <u>Handbook of Human Factors</u>, Gavriel Salvendy, ed. New York: Wiley & Sons.

APPENDIX A: Task Descriptions

Diagnose hard starting
Diagnose loss of engine power
Diagnose stalling engine
Diagnose engine which cranks but doesn't start
Replace fuel injector pump
Remove and replace the steering gear on an M35A2
Remove and replace the axle on an M813A1
Remove and replace the clutch on an M35A2.
Remove and replace the transmission on a M35A2.

Engine hard to start

TASK EVALUATION FORM

	boo	Pope of	100.5. Equitoring.	7 hoe, See a type, Use		Operator's Ramal		within 50°		Standard tools Operator's Manual	Multimeter			: 100
			At lov l	6 Paradem and Republica				Well ventilated area/ away from flames, sparks smoking/ (fre extinguisher within 50)						
tot tot Troubleshoot Fuel System	Derr of Development		Ind Products	1 Inchasen Court					Truck parked and secure		Multimeter set	(-) Lead on EFSV contact	(+) lead on other EFSV contact	Multimeter read correcti
	•		MOLENCE.	· bernea				>5	5 before 6 5 before 13	9				→ º
				i				HAC		MAC				
			Sart. part	2 Sendes	N/A					ive lve		n ct	other ct	
940	***		2116		Review safety precautions	2] Refer to Operator's Manual	2 Check area	4. Park truck	5 Check brake and gear setting		7 Set miltimeter to mensure resistance	8 put mustimeter (-) minus lead on EFSV valve contact		10 Hultimeter dies not read 28-32 olimis

Engine hard to start

TASK EVALUATION FORM

Engine hard to start

TASK EVALUATION FORM

3,50				tost two Troubleshook Eucl. System	ystem	
						Posts of
2015	1 md. 5/110		M Driffiect.	two encourts	146214	100.5. floumenter; and walf next sust
	2. Secretors Messerry	į	· Francisco	1 1-4 Product Court	O President and Republica	I hen See tree the
21/If leaks found, retighten						
6	Qu.			Fittings tight		
un to 1000 rpm						
Glick pressure to see 1f between 7 and 23 ps1				Reads correctly		:
'ngine at full hrottle						
16 ls pressure retween 170-180			26	Reads correctly		
Incorrect ssure? Recomm pluce fuel pum	ġ.			Recommend replace fuel		
Ecommend engine	rel			Recommend engine assembly overhaul if problem not sulved		

ENGINE HAS LOSS OF POWER

Performer

TASK EVALUATION FORM

TROUBLESHOOT COMPREESION Took TREE IGNITION ENGINE (MULTIFUEL)

Ĺ						P.	Page 1 of O
	stre	STAMBARD/SEQUENCE	SECRETACE	DIO PROBUCTS	SAPETY	TOOLS, EQUIPMENT, and MATERIALS USE	Coveniants
	Doc e i - g ion	Bed.	į	End Product Criteria	Precedures/Repulstions	ltem, Size, Type, Bee	
			·		Vehicle engine off Hand brake set		
Ь			T		Remove jewelry		
					Raise and secure hood Lower side panels	po	
31					on engine compartment	nt	TM 9-2815-210-34-2-2 9-4910-571-1068
							General Mechanics Tool box
]							DA Forms 2404 2407
bel ser	1 Check all fan- belts for tension/ serviceability						1-/052
2 cab	2 Check ignition cables for condition						
110	Check engine level						
000 7	4 Check radiator coolant level						
and for	Check batteries cable connecting serviceability			Pre-test inspection completed			

ENGINE HAS LOSS OF POWER

Performer

TASK EVALUATION FORM

Took Treis IGNITION ENGINE (MULTIFUEL)

Evaluator

Page 2 of Dete Item, Size, Type, Use TOOLS, EQUIPMENT, and MATERIALS USE push off switch is Make sure push on, Procedures/Aegulations SAPETT off VTM connected to End Product Criteria vehicle power DID PRODUCTS VIM power up connected STAMBARD/SEQUENCE İ 0 J1 & Pl minal Push the push on/ žĘ. positive battery ter 8 Connect black (-6 Remove VTM and WS power cable from power cable lead to power cable lead to Connect red (+) pull off switch to Remove VTM and Dial 99, press Dial 66 press 8888 (2 sec) then VTM displays and release test VTM displays and release test Descri-tion on position Ē 9.9.0.0

Confidence test

.0.0.9.9 to blank to .8.8.8.8 to blan

VTM displays

ans holds pass

VTM displays

complete

ENGINE HAS LOSS OF POWER

Performer

TASK EVALUATION FORM

TROUBLESHOOT COMPRESSION ** TRUE IGNITION ENGINE (MULTIFUEL)

Evaluator Dete

Page 3 of Item, Size, Type, Bee TOOLS, EQUIPMENT, clean all mounting Vehicle engine off Procedures/Regulations SAPET surfaces Vehicle ID. number End Product Criteria (VID) entered DIO PRODUCTS ID. number from the table, vehicle estcard/VTM flip cards/TM STANDARD/SEQUENCE İ **3**5 VTM displays VID VTM displays 22 tachometer TK item Locate vehicle Dial 67, press Dial 60, press ehicle tachometer and release test Install pulse Lransducer cable W4 to J2 on VTM and release test Dial 02 press and release test VTM displays Disconnect beert tim VDC or above prompt VEH Ē number 2

Performer

TASK EVALUATION FORM

TROUBLSHOOT COMPRESSION
*** TREIS __IGNITION ENGINE (MULTIFUEL)

			•			
					2	Page 4 of 8
one	STAMBARD/SEQUENCE	sequence	END PRODUCTS	SAPETY	TOOLS, EQUIPMENT, and MATRIALS USE	Cuerats
Descri-tion	Std.	İ	And Product Critoria	Procedures/Regulations	Item, Size, Type, Bee	
26 Connect P2 of transducer cable to			Pulse tachometer installed	Be sure W4 cable is clear of belts and		
connector on pulse tachometer 21 Connect Pl to W4 to J3 on the VTM	achome	rer		tan blades		
28 Connect P2 of W4						
_ 🖽						
29 Clamp current probe around a positive battery	bbe		Current probe 1s closed and arrow is			
cable connected to starter	starte		l toward the	starter		
<pre>Jul</pre>						
31 Turn off all electrical power						
32 Dial 72, press and hold test						
33 VTM displays CAL message prompt						
34) Rèlease test						·
35 VTM displays . offset value -225 to 225			Transducer offset test completed			

Performer

TASK EVALUATION FORM

TROUBLSHOOT COMPRESSION TOOK TREE (MULTIFUEL)

•				,		Per	5 of 8	
i.	erre	STAPPAED!	STAFFAED/SEQUENCE	the Protects	BAPETT	tools, equivery,	CONFERMS	
	Doget-cles	Brd.	İ	End Product Criteria	Procedures/Regulations	Item. Sites. type. Des		
	36 Press and release test				-			
	37 VTM displays GO							
	88 Crank engine for 2 seconds							
3.5	19 VTM displays OFF or error message							
	40 VTM displays first peak current reading			SPEC for lirst peak current reading 700-1400 amps				
	41 Start vehicle engine				Check oil level do not check coolant			
	42 Check oil pressure gauge			Minimum oil pressure reading present 15 psi	e Make sure all hydraulic power switches are off	raulic e off		
	Check generator gauge			Normal range reading present	if vehicle is so	equipped		
	<u>44</u> Check all other gauges			Normal range readings present GO3 completed				
	45 Adjust engine specture, on headlights and accessories	paa		Engine speed 1000- 1200 rpm headlights accessories on				

TASK EVALUATION FORM

Eveluator

8 90 9 8 Item, Size, Type, Use tools, equipment, Procedures/Aegulations SAFETY within 26.5 to 29.5 Battery voltage is Engine temperature 140° to 200° F Engine rpm 1000-End Product Criteria Go 4 completed DIG PRODUCTS VDC range 1200 rpm STAMBARD/SEQUENCE İ 1 battery voltage and engine rpm alternately lights, accessories operating temperatu Allow engine to reach normal for oil, fuel, and engine and set rpm Dial Ol, press Dial 67, press voltage is within Verify battery Turn off head-Check vehicle coolant leaks 3 Start vehicle and release test and release test VTM displays VTM displays 54 VTM diaplays Descri tim and engine Ē PASS

Performer 1

TASK EVALUATION FORM
'TROUBLESHOOT COMPRESSION
TANTO IGNITION ENGINE (MULTIFUEL)

7 0.8 Evaluator

erre	STAMBARD	STANBARD/SEQUENCE	END PRODUCTS	SAFETY	TOOLS, EQUIPMENT, and MATERIALS USE	CONTRACTOR	
Descri-clas	Std.	, pos	End Product Criteria	Procedures/Regulations	Item. Size. Type, Bee		T
56 Dial 10, press and release test							
57 Increase engine rpm speed			VTM displays 2850 rpm				$\overline{}$
58 Observe oil pressure gauge			Oil pressure gauge indicates 50-75 psi GO7 completed				
Observe VTM and ocrease engine spe	paads pa		Maximum engine govenor speed 2600- 2950 rpm	Check govenor operation prior to performing the power test	tion		
			RAM stays within SPEC limits	-			
							1
and release test				er 1	test ture engine		
				below 1000 rpm			
to the floor and hold						•	
OFF							

Performer

TASK EVALUATION FORM

TROUBLESHOOT COMPRESSION

TO THE THE TROUBLESHOOT COMPRESSION

Eveluator

										<u> </u>		
Pege 8 of 8	соверпя										•	
P.	TOOLS, EQUIPMENT.	Item, Size, Type, Bee			o ipped vehicles	st g TM in table						
	SAPETY	Procedures/Regulations			Use TM power test procedures for turbb or fuel limiter equipped vehicles	GO6 completed adjust idle speed rpm using TM to rpm SPECs shown in table	-					
	END PRODUCTS	End Product Criteria					Engine idle speed SPECs 650-850 rpm					
	STAIMARD/SEQUENCE	Ž										
	31.0	9¢4.	Lor									
	3116	Sesecti-tion	Melease accelera when OFF prompt appears	2) Observe VTM for % of power display	A Compare VTM display with % of power table number	Dial 10 Id release	O Observe VTM display for 10 sec. to verify idle spee	remains in SPEC	Compression test			

Engine will not start; engine stalls

1					ten ton Troubleshoot fuel S	System	1-thous
ATT	¥				Date of Development	1	
_							Page
	81.6	stre, part		MOMENTS:	II DOOR II	41011	100.5. fourment.
	1 Person	2. 85	j	e feerna	8 Indicated Creek	f President and Republican	F ton, Set or Lyte, Une
<u> </u>	I Review safety	V/V		I through S			
<u>∵ </u> §.	Mefer to operator manual						
	Check area						
 .9	Park truck						Operator's Manual
	Check brake and gear setting			5 before 6 5 before 13	Truck parked and secure	Area well ventilated/away from sparks, flames, smoking fire extingisher within	ing/ so:
9 2 6	Locate electral shut-off valuete	cal ve		9-			Multitument
	7 Set multimete to measure resistance				Multimeter set		
8 (-) 8 (-)	B Put multimete (-) lend on one FFSV valve contact	بد			(-) lead on one EPSV contact		
, E E	(7) Jead on other FFSV valve contact	ار			(+) lend on other EFSV contact		;
G 613	10 Hultimeter do			->	Multimeter read correct)		

Engine will not start; engine stalls

¥.				Cont of Destroyer		
	l					
	of pres. Amel		SOCIAL CONTROL	Eng PriCoucts	41144	100.5, f@umel of,
. Comments			· breats	8. End Product Cross	8 President and Republica	
TI End task - recommend replace EFSV				Electrical fuel shut-ofil valve not working -		
12 Holtimeter resids 28-32 ohms			12 before 27			
Locate fuel			13			
ig Refer to operator's manua						Operator's Manual
of to proper page and chart						
Th Unscrew fuel						
In Unserew clamp Folt on fuel						
LB Remove clamp holt				Clamp and bolt removed		
supply line from female fitting, cylinde head	le d			Fuel supply line free		
20 Slide fitting back on fuel sup-ly line			→			

Engine will not start; engine stalls

X				Date of Development		
						Pre of
2116	1 P. C. Mari		FOLLOwing.	. Int PRODUCTS	SAFIT	100.5. (Quended,
1 Describe		Ì	-	B. Lief Product Creatil	Dratters and Reputation	I how for a 1-th Use
Put rubber lose over end if fuel supply 1 22 Put other end if hose in can if fuel 33 Crank engine or about 10 sec:			23			Filled fuel can
24 Check fuel can						
	5			No fuel in fuel can		
remaining - stop				is the problem fixed?		•
ingine assembly				Recommend engine assemble		
				·		
7	·					

Engine cranks; doesn't start

	TOD. S. (Quente in)			vithin	Operator's Manual		Operator's Manual				
rical System	11101	O President and Republications		Fire extinguishers within 50'/well ventilated area							
Date of December of the System	1 mp Phobut 11	1 Institutes from			Identify proper procedure	Truck secure		Emergency engine stop control handle in		Emergency fuel shut-off lover to front	
	MOLITHICE.	· Inpente					9				20
		Ì									
	Ting Sprite	2. Strendbare Mannana					cy rol		1 ver		Ition
	2115) Describe	<u>1</u>	1 1	4 Park Truck	S Check brakes and gear setting	bliocate emergency engine stop control bandle	Ilif not all the way in, push it in	is emergency el shut-off I way to fro	_= =	10 Test engine if levers were not in proper position

	20.002				1.00 1000 Troubleshoot Electrical System	feat System	l-man
	**				Date of Development		Die .
							Pre
	4105	1 m. m.		MOUNTACE.	IND PRODUCTS	140117	100.5. (Quendat.
		2. Secrética	İ	-	6 Led Product Counts		P Bone, See to Type, Use
1	11 Does engine run? Yes				Engine runs, task complete		
	12 hoes engine run? No. Locate ignition switch						Operator's Namual
	Remove ignit itch from el	uo		13	Ignition Suitch removed		
	from leads						
	15 Remove lead 54 from ignition in Ltch				Lead 54 removed from ignition switch		
	16.1 Set battery switch to on				Buttery switch set to on		
	switch to run				Ignition switch set to		
	8 Set multimetor to measure +24 ofts DC	L,			Multimeter, set to measure +24 volts DC	Check multimeter glass, pointer, batteries	Miltimeter
		L.			(-) Luad on adequate		
	(+) plus lead or lead or	·		->	i on lead 54		

TASK EVALUATION FORM

4

100 Tow Traubleshaat Electrical System

	/				Date of Development		Det.
							Pop
	****	ore mi		Moutage.	Ind Phoducit	84617	POO.S. (Durnem.
		S Property of the second secon	j	- 500000	6 Led Peaker Court	6 Penders and Reposent	7 her, See a fee tes
	2] Read multimeter			72			
	12 Hultimeter reads +23 to +2 volts DC? No				End task: recommend next step (replace ignition sult.h)		
4.4	23 Reads +23 to +26 volts DC?		İ				
ļ	Ld Check lead 54 from ignition switch to battery switch	teh		24			
	25 Set hattery witch to off				Battery switch set to		
	talset ignition witch to off				Ignition switch set to off		
	17 Put lead 54 back in ignition				Lead 54 in ignition switch		
	28 Put Ignition witch back in same?				Ignition switch replaced		Operator's Manual
	Take battery witch from				Battery switch removed		
	from ignition mitch	itch		>	Lead 54 off of battery switch		

Englue cranks; doesn't start

l of the state of		Popeof	100.5 (Clubatar	P Non. See a less, the									
rical System			413648	O President and Republiers									
in im Troubleshoot Electrical System	Date of Development		IND PRODUCTS	8 End Product Counts	Battery switch on	Ignition switch on	(-)lead on ground	(+) lead on lead 54	End task/recommend repai or replace front harness	Dattery switch off	Ignition switch off	Lend 54 on battery swite	Other lead 54 off battery switch
			MOUTING.	· Presents				34		37			->
				İ									
			That prope	2 benda									
Property	A19C		•		IT Set hattery switch to on	12 Set ignition switch to on	(-) lead on round	14 Put (+) lead on lead 54	is Multimeter loes not read +2. to +26 i6 Check hattery witch	32 Set battery switch to off	18. Set ignition witch to off	19 Put lead 54 back on battery witch	54 of battery witch

	Parameter and the second				in in Troubleshoot Electrical System	rical System	1-Tons	
	- X.+				Date of Development		Des	
							Pop of	
	-316	True parts		MOLANCE.	IND PRODUCTS	411041	TOD.S. SQUPPLENT. AND UATERIALS USE	
		2 Bendess Mercen	ì	· Interest	8 Ing Product Count	f Accepted and Republican	I tea, See or form, the	
	suitch to on				Battery switch on			
	12 Set Ignition		{		Ignition switch on			
46	(-) lead on good				(-) Lead on good ground			
	44 Fut (+) lead on lead 54 contact of battery switch	ı		77	(+) Lead on lead 54 contact of battery switch			
	45 Multimeter Joes not read +2 to +26 wolts							
`	46 End task: Recommend replace Dattery switch				Recommend replace battery switch			
	54 v.t fu	ch I shut-off	w.lve					
	48 Fut lead 54 hack on battery switch			87	Lead 54 on battery switch			
	49 Put battery switch back on instrument panel				Buttery switch back in instrument panel		Operator's Manual	
	off EFSV assemble	·		>	Lead 54 off electrical fuel shut-off assembly			

TASK EVALUATION FORM

100 100 ILVIBLESHOOL ELECTION System

	¥,0				Date of Development		
		·) o
	4708	1 mat .pv100		MONTHE.	11 Industry dwp	SAVETY	100.5. (Questing), and unit finat Sust
			İ	. See.	6 Indhoden trees	6 President and Republican	F host, See to Type, Use
	State Sattery Switch to on				Battery switch on		
	switch to run				Ignition switch on		
4 7	(=) lead on good ;round				Multimeter (-) lead on ground		
,	14) Pur multimuter (+) lead on lead 54 contact			/ 54	Nultimeter (+) lead on lead 54 contact		
	55 Multimeter loes not read +2: to +26 volts DC						
	56 End task: Jake recommendation	- E			Recommend: Replace		
	Philtimeter does ead +23 to +20	-			rout nathena		
	8 Clean lead 54 ontact & EFSV Ssembly contact				-		
	Sy Set hattery Witch to off			59	Battery suftch off		
	U Set ignition			->			

Does of Development	P049	Tred 39160 B6 DATECT. 100 5 0 DATE 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2. Standing 3 Standard 4 formered 6 for Court Court 6 President and Reporter or Africance 7 heat, See to Tope, Use		Both contacts clean	Lead 54 back on EFSV	64 Operator's Manual	Engine starts	Recommend- Check resistance EFSV assembly		
			į								
**************************************			-	61 Clean lead 54 contact	62 Clean EFSV assembly contact	63 Put lead 54 back on EFSV assembly	64) Start engine	65 Engine starts task complete	be Engine does not start-		

Performer				Task Title	Task Title REPLACE FUEL	2	Evoluator
ž.				•	INJECTION PUMP	ä	•3ed
	!					P.	Page 1 of 5
	9712	STAMBARD,	STAMBARD/SEQUENCE	DIO PRODUCTS	SAPETY	TOOLS, EQUIPMENT, and MATERIALS USE	CONNECTS
	Descri-tion	32	ż	End Product Criteria	Procedures/Regulations	lten, Sizo, Type, Use	
					Engine off Hand brake set		
<u></u>					Remove jewelry Disconnect battery		
<u></u>					Raise and secure hood Open engine compart		
h_					ment side panels Engine cool		
h							TM 9-2320-209-203-1 9-2815-210-34-2-1 9-2815-210-34-2-2
<u></u>							DA Forms 2404 2407 2407-1
<u></u>							General Mechinics Tool box Tongue wrench
٦							(0-150 lb/ft) Holding wrench Drip pan
1 Dra coo	Drain vehicle cooling system			Radiator drained		6 gal. container	-
2 Rem brush	Remove radiator brush guard						

Evaluator		Page 2 of 5	CONNECTIS										·	
[84]	Dete	Page	TOOLS, EQUIPMENT, and MATERIALS USE	Item, Size, Type, Dee										
REPLACE FUEL	INJECTION PUMP		SAPETY	Procedures/Regulations										
Task Title	ı	-	END PRODUCTS	End Product Criteria										
			STAMPARD/SEQUENCE	Seq.										
			STAMBARD	Std.										
Performer	108		577.8	Descritton	3 Disconnect and and remove radiator	4 Check engine data plate for engine mod	5 Disconnect fuel injector pump fuel lines &oil hoses	6 Remove fuel tube clamps	2 Remove six fuel injector tubes	8 Remove fuel injector pump drive gear access cover	9 Remove fuel injector pump drive gear retaining plat	O Remove fuel pump drive gear	1 Remove fuel pump rear bracket	2 Remove ruel injector pump ass- embly from engine
Perform	NON .					10 13	<u>ন</u>		7 R	Injection in Security	9 R inje gear	D R pump	1 R	inje.

910	60. 3 of 5	COMINTS										-	
		TOOLS, EQUIPMENT, and MATERIALS USE	item, Size, Type, Use		Holding wrench								
INJECTOR PUMP		SAPETY	Procedures/Regulations										
ļ		DIO PRODUCTS	Znd Product Criteria					Timing mark on crankshaft damper aligned with pointe	on timing gear Clearances between roller and pads and	valve stems			Timing mark and pointer aligned
		NED/SEQUENCE	Š										
		STAMO	25	orn nev np		386		er	e).	S			18
		STEC	Dascri-eton	13 Complete DA for 2407-1 to obtain refuel injection pum	<pre>14 Change drive gear hub on new injection pump</pre>	ea	C 3	<pre>17 Bar engime ove to timing mark</pre>	#	Repla ar hub moved)	from automatic timing device	ndow cover	24 Jurn drive gear hub to align timing mark with pointer
		INJECTOR PUMP	STEP STANDARD/SEQUENCE DNO PRODUCTS SAFETY TOOLS, EQUIPMENT.	STEP STANDARD/SEQUENCE DND FRODUCTS SAFETY TOOLS, EQUITMENT, and MATERIALS USE Descri-tion Std. 3eq. End Product Criteria Procedures/Regulations Item, Size, Type, Use	STEP STANDARD/SEQUENCE DND FRODUCTS SAFETY TODILS, EQUIPMENT, and FATERIALS USE Complete DA form O7-1 to obtain new ell injection pump	STATE STATEMENT STATEMENT Statement Statemen	STATE STANDARD/SEQUENCE END FRODUCTS SAFETY TODIAL, EQUIPMENT, and MATERIALS USF Descrivtion Std. 3eq. End Froduct Criteria Frocedures/Regulations Item, Size, Type, Use Complete DA form O7-1 to obtain new El injection pump Procedures/Regulations Item, Size, Type, Use Change drive arr hub on new Holding wrench Holding wrench Remove crankcase Remove crankcase Remove crankcase	STANDARD SEQUENCE DNO FRODUCTS SAFETY STANDARD SEQUENCE	STATE STAMMADE S	STATE STAMMANDA STAMMAND	TALLECTOR PUMP Page	STATEMAND SECTION PUMP PAGE	State Stat

	Performer		,	Task Title	REPLACE FUEL	•	fvaluator
	,			1	INJECTION PUMP	•	Date
				,		P	Page 4 of 5
	ster	STANDARD	STAMMARD/SEQUENCE	END PRODUCTS	SAPETY	TOOLS, BOUTHERT, and MATERIALS USE	coverpins
	Descri-tion	Std.	ż	End Product Criteria	Procedures/Regulations	item, Size, Type, Bon	
	Install fuel pump to flame heater tube						
	Install fuel pump mounting hracket						
5	Instal mp drive						
າ	26 Check timing marks for correct position			Injection pump timed			Tougue drive gear to 23-27 1b/ft
	21 Install drive gear access cover						Can be performed any time after step 26
	_ <u>_</u>	M					
	_ - L						
	_ 8 #						
	install six fuel injector tubes						-
			-				

Evaluator Date 5 at 5									A.			
2 8 8	TOOLS, EQUIPMENT,	lten, Size, Type, Use										
Took Tielo REPLACE FUEL INJECTOR PUMP	SAPETT	Procedures/Regulations										
Took 71010	DND PRODUCTS	End Product Criteria					2800 RPM		No leaks present			
	STAMBARD/SEQUENCE	ġ	·									7
	STAMBARD	366.										
Parformer	377.8	Descri-tion	33 Install fuel tube clamps	e #	1	36 Connect battery negative ground cable	37 Start engine and run to governed no load speed	8 Stop engine	품 .		form 2404	
2 8			33 tub	图出出		ne ne co	P i d	<u>R</u>	1 le 1	rad grad	3 <u>0</u>	

Performe			Took Title	Took Title REMOVE & REPLACE STEERING		fvelueter
			٦	GEAR - M35A2	*	P10
			•		2	Page 1 of 3
aus	eiveet16	STAFBARD/SEQUENCE	DIR PRODUCTS	Albevs	TOOLS, EQUITMENT, and MATERIALS USE	CONTRACTOR
Bucri-ciss	718	Š	Dad Produce Criteria	Procedures/Regulations	lten, Size, Type, Bos	
Correct Tools				·	Gen. toolbox Bushing remover/replacer Sleeve bearing hand born	lacer bornisher
Correct TM's					TN 9-2320-209-10 TM 9-2320-209-20 TM 9-2815-210-34	
IAW TM 9-2320-209-10	,					
Remove Pitman arm					TM 9-2320-209-20	
2 Remove Steering wheel					TM 9-2320-209-20	
3 Remove Air cleaner indicator					ТМ 9-2320-209-20	
4 Open Hood						
<pre>5 Disconnect battery ground</pre>					TM 9-2320-209-20	
6 Remove radiator and fan					TM 9-2320-209-20	
Z Remove turn signal control					TM 9-2320-209-20	

Performer		1	Tack ficts R	Took Tiele REMOVE & REPLACE STEERING		Poluetor
			5	GEAR - M35A2	Pete	01
					Pal	Page 2 of 3
FILE	STAMMED	STAMMAS /SEQUONCE	Ene Phobacts	SAPETY	tools, equiment,	caecuts
Descri-4100	344.	İ	And Product Criteria	Procedures/Regulacions	Iten, Sico, Type, Bon	
8 Remove engine rear lifting bracket					TM 9-2815-210-34	
9 Remove throttle control and linkage					TM 9-2815-209-20	
<pre>10 Remove band from steering column</pre>						
llRemove electric horn plug						
12 Put hoist on front engine liftin eye				-		·
L. Remove nuts, cap- screws from front engine mounting bracket	tket					
14Remove primary fuel filter						
15Remove rear engine mount						
lbRemove steering column pad (interior cab)						•
17 Remove exhaust pipe from engine, remove intake hose						
at air cleaner. move	. 1					

at air cleaner; move engine to right

Took Title REMOVE & REPLACE STEERING GEAR - M35A2	Page 3 of 3	STAMMAND/SEQUENCE ENG PRODUCTS SAFETY AND HATERIALS USE CONFERTS	Std. Seq. End Product Criteria Procedures/Segulations Item, Size, Type, Box	End of Task: Remove Steering Gear	01			pe take				
		pagace		. End Rem Gea	Star Rep Gea							-,
		STAMPARD/S	25		mn ame			fipe intake				
Performer		ente.	Poert-tion	Remove steering column & gear box		Lu Install steering column pad	2] Install primary fuel filter	22 Install exhaust part engine; install inhose at air cleaner	2.3 Move and aline engine; tighten bolts	24 Attach engine mounting bracket	an I	do Connect electric

Parformer			Took Title	700k 71610 REMOVE & REPLACE AXLE - M813A1	1	Evaluator Pete
						fage 1 of 3
STEP	STAMPARD/	STAMMARD/SEQUENCE	END PRODUCTS	SAPETY	TOOLS. EQUIPMENT. And MATERIALS USE	conerants
Door i' ties	Std.	į	End Product Criteria	Precedures/Regulations	lten, Sico, Type, Bon	
Correct Tools		·			*Gen. Mech. Tool Kit *2 floor jacks *Prybar	ţ
					*Knockout adapter *Torque wrench *2 jack stands	
Correct TM's					TM 9-2320-260-34-2-2 TM 9-2320-260-10	2
Prepare vehicle IAW -10						
] Jack up truck & support chasis						
2 Remove wheels						
3 Remove drag link						
4 Remove power steering cyl. assy.						
5 Rèmove brake lines & hoses						•
6 Remove shock absorbers						

Performer		ŧ	Tash Title	Took Tielo REMOVE & REPLACE AXLE - M813A1	1 1	Pusimener
•	3TAMBAR	STAMBARD/SEQUENCE	Ene Paceucits	SAPETY	TOOLS, EQUIPMENT,	11
Docti vim	į	İ	Ind Product Criteria	Procedures/Regulations	ites, Size, Type, See	
17 Raise axle into spring seats				·		
18 Attach lower seat						
19 Torque bolts	<u> </u>					Torque to 325-400 ft.1bs.
20 Attach prop. shaft f. axle to xfer						
21 Install shock absorbers						
22 Install brake lines & hoses						
23 Install power steering cyl. assy.						
24 Install drag link						
25 Install wheels						

Parlormer 1008		1	7 4	Took Tiele REMOVE AND REPLACE CLUTCH M35A2		Evaluator Date 1 of 2
STEP	PTAMPAED	STAMBARD / SEQUENCE	END PROBUCTS	11245	TOOLS, EQUIPMENT.	CONFERTS
bocri'-tien	Btd.	ġ	End Product Criteria	Procedures/Regulations	Item, Size, Type, Bos	
Correct Tools		·				
Correct TM's					TM 9-2320-209-34-2 TM 9-2320-209-10	-1
Vehicle Prep. IAW -10	·					
Remove XMSN						
Push clutch in and install spacer blocks				-		
<pre>\$ Remove 8 screws & lock washers, two turns at a time</pre>						
Remove pressure						
Install clutch against flywheel with long hubaway from flywheel	ainst nubawa					
Place clutch alignment tool in clutch hub						•
Install pressure plate on flywheel						

Test TACLS REMOVE AND REPLACE CLUTCH	M35A2	STAMMARM/SEQUENCE DIP PRODUCTS SAFETT and MATERIALS WIS CONFINTS	les Seq. End Product Criterie Procedures/Regulations Item, Size, Type, Des	8 cap washers	cap 7 ft.1bs.	clutch ers & er blocks	lutch ool	NSMX			
Performer		STEP STEP	Poerfi-tion St	8 Install 8 cap screws with washers	9 Torque 8 cap screws 23-27 ft.lbs.	LO Push in clutch release levers & remove spacer blocks	<pre>L] Remove clutch alignment tool</pre>	12 Replace XMSN		`	h

;

96		of 2	CONFERTS	,										
Evaluator		Page 1	TOOLS, EQUIPMENT, and MATERIALS USE	Item, Bire, Type, Bon	General mechanic tool kit torque wrench	TM 9-2320-209-34-2-1								
Took TIKIO REMOVE & REPLACE XMSN	M35A2		SAPETY	Precedures/Regulations										
Task Title R	3		ZND PRODUCTS	End Preduce Criteria										
ł	<u> </u>		STAMBARD/SEQUENCE	ġ	·									
j			STAMBA	364.										
Performer	501		aus	peect-ston	Correct Tools	Correct TM's	Prep vehicle IAW -10	Remove XMSN	I With shifter in neutral, remove shift lever	2 Remove inter & front tunnels on cab floor	3 Disconnect reverser linkage	4 Remove clutch control rod	5 Remove XMSN to xfer prop. shaft	6 Place jack under XMSN
		•	,,i.**				(0.2		-				

	Nos		1	4 - 13 E 4 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Took Tiele KEMUYE & REPLACE XMSN M35A2	1	Tvalentor Pore
							Page 2 of 2
	871.7	STAMMAR	STAMBARB/SEQUENCE	SECOND BIRD	SAPETT	TOOLS, EQUIPMENT, and MATERIALS USE	CONTRACTOR
	Descri-tion	3td.	ž	End Product Critoria	Procedures/Regulacions	ites, Size, Type, Bos	
	7 Remove XMSN to engine bell housing bolts		·				
	8 Lower XMSN						
63	9 Place XMSN on jack & align to bell housing	,					
	10 Bolt XMSN to housing, torque bolts			Bolts torqued 23-26 ft.lbs.			
	11 Remove jack						
	12 Replace XMSN to xfer prop. shaft						
	13 Replace reverse shift lever rod						
	14 Replace clutch linkage						
	15 Replace front & inter cab tunnels						٠
_	16 Replace XMSN gear shift lever						

APPENDIX B: Definitions of Scales in Retention Model

II. Instructions for the Paper-and-Pencil Version

The task rating method has been developed in both a paper-and-pencil version (described in this manual) and a computer-based version. This manual is intended to serve as a basic guide for those who are asked to rate tasks to determine their level of retention. While it contains the essential information needed to use the rating method properly, situations may arise for which adequate guidance is not provided. Further assistance may be obtained from the U.S. Army Training Board at Comm (804) 878-4658 or AV 927-4658.

-The Rating Procedure

The task rating procedure contains ten questions with each having from two to four choices of answers. In addition, there is a Definitions section designed to clarify the meaning of each question and help with the selection of the most appropriate answer. It is important to read all of the Definitions information before selecting an answer.


The paper-and-pencil version contains a Task Retention Rating Form on which the answers to each question for each task are to be recorded. A copy of the Rating Form is included on Page 40 of this manual.

Here is the step-by-step procedure to follow:

- List the number designation and title of each of the tasks you are going to rate in the first two columns of the Rating Form. Use one line on the form for each task. You may shorten or abbreviate the task title. Enter the Military Occupational Specialty (MOS) or Specialty Code (SC) designation at the top of the form. If you are rating tasks in more than one MOS/SC, use separate Ratings Forms for each.
- Refer to the current task summary to obtain a description of each task you intend to rate. You may also use information found in referenced documents for each task.
- 3. Read the first question and the associated Definitions section. Review the supporting documentation for each task as needed to arrive at an answer. Note the Scale Value for the answer you selected. Write that Scale Value in the box in the Rating Form corresponding to that task and question.
- 4. Continue in this manner until you have answered all 10 of the questions for Task 1 and have entered the appropriate Scale Values on the Rating Form. Depending on your answers you may be asked to skip certain questions. Follow the instructions given for each question.
- 5. Add the individual Scale Values for Task 1 and enter the total in the "Total Score" column of the Rating Form.
- 6. Follow the same procedure for the remaining tasks you wish to rate.
- 7. Review the ratings given to each task by other raters. Resolve differences and document any changes in or assumptions made about a task. When the scale values for each question and the final score have been agreed upon by the raters, record them on a separate Rating Form noting that it is the "Approved Task Rating Form." Supplementary documentation should be attached to this Rating Form to support the ratings given.

In order to convert the final ratings to retention performance predictions, follow the instructions starting on Page 38.

The flow chart on the next page shows the decision algorithm that is built into the series of 10 questions. As you go through the questions, you will note that the instructions contain specific guidance with respect to the decision points shown in the chart. It is important that these instructions be followed carefully.



Question 1. Are job or memory aids used by the soldier in performing (and in the performance evaluation of) this task?

Answer Choice	Scale Value
• Yes .	1
• No	0

Definitions

Job and memory aids are designed to guide or facilitate the soldier in on-the-job performance and to minimize the need for recall. Examples include:

- Memory joggers learned in school, such as S A L U T E
- Technical manuals or pamphlets when used on the job to help do the task properly.
- Labels or instructions that are printed on or attached to equipment or containers.
- Checklists, flowcharts, worksheets, decision tables, and system-fault tables.
- Manuals published by manufacturers to be used while performing maintenance tasks on equipment.
- Instructions on forms that tell how to complete them. The form itself is not a job aid, even though it has headings that indicate what should be entered in the form. It is considered to be an integral part of the task itself.

The key to accurately answering this question lies in the way the task is intended to be evaluated and performed.

For example, it is intended that a Technical Manual be used while performing most maintenance tasks. That is the way these tasks are taught and the way they are evaluated. If a job or memory aid is not used while performing a task, and none is used in evaluating that task, then the answer to this question would be No.

All reference-dependent tasks; that is, tasks for which required references are noted in the conditions section of the task summary; should be considered job aided.

Tools or equipment needed to perform a task are not job aids. However, if a supervisor is permitted to aid a soldier during the task performance evaluation, the supervisor should be considered as a job aid.

Write the Scale Value ("1" or "0") for the answer you select in the first column, labeled "Job/Memory Aid," of the Rating Form.

If you selected a No answer ("0") to this question, skip the next question and go to Question 3.

If you selected a Yes answer ("1") to this question, answer Question 2 on the next page. You will also be reminded of the fact that a job or memory aid is used to perform this task on several of the other questions. Their rating will depend on how much support is provided by the aid, which is covered by the next question.

NOTE: IF THERE IS NO JOB OR MEMORY AID,

DO NOT ANSWER THIS QUESTION.

GO TO QUESTION 3

Question 2. How would you rate the quality of the job or memory aid?

Answer Choice Scale Value Excellent. Using the job/memory aid, 56 a typical soldier can do the entire task correctly with no additional information or help. Very Good. With the job/memory aid, a 25 typical soldier would need only a little additional information to complete the task. Marginally Good. Even with the job/ 2 memory aid, a typical soldier would need important additional information to complete the task. Poor. Even with the job/memory aid, 1 a typical soldier would need a great deal of additional information in order to complete the task.

Definitions

This question requires you to think about the ability of the job or memory aid to actually lead the soldier through the entire task without error.

There are several dimensions that help to define the quality of a job or memory aid.

 Clarity - an excellent job aid presents the information a soldier needs to perform the task in a way that the soldier can understand; that is, the language and terminology matches the soldiers' level of understanding and reading ability. If necessary, pictures, diagrams, tables and charts are used to present critical information.

- Completeness an excellent job aid provides all of the information the soldier needs to do the task. A complete job aid tells the soldier what, when, and how to perform at a necessary level of detail. However, an aid that covers only a portion of a task very well is still less than excellent if other portions are left uncovered or are covered poorly.
- Useability an excellent job aid is useable while the job is actually being performed. For example, a detailed, well-written technical manual is still less than an excellent job aid if the soldiers cannot take the time to read it or if it is physically impossible to use the aid while performing the task. In the same way, a job aid may be excellent under some conditions but poor under others (e.g., darkness).

In some cases a task may have more than one job aid. The rater should consider the overall excellence of the job aids in relation to the entire task. Only if the job aids, taken together, provide clear, complete and useful coverage of the whole task can the rating on this question be excellent.

The following examples for the task "Turn On Electrical Test Panel" may help in making your choice:

Excellent job aid - Easy-to-read instructions printed clearly on the electrical test panel itself, telling you when to do the task, what to do, how to do it, and in what order to do it. Pictures are used to help locate things.

Very Good job aid - A booklet that tells you basically the same information but it does not show where the knobs and switches are located. Operator errors are more likely. Marginally Good job aid - Printed technical instructions that contain other information about the test system mixed in with the needed information. No pictures or diagrams.

Poor job aid - Technical reference manuals in which general principles of operation are given using complex language - you must try to determine the actual procedure for yourself.

Choose your answer using the above guidance and enter the Scale Value for that answer on the Rating Form under the column labeled 2, "Job/Memory Aid Quality."

If you select excellent as the answer to this question you will skip the next 3 questions. Look at these 3 questions now to see if your assessment of the job aid is accurate. In effect, if a job aid is excellent it is the same as saying the task has only 1 step (read job aid), no particular sequence to remember (job aid tells you) and has lots of built in feedback (job aid tells you if you are doing each step correctly). If you have any doubts about whether the job aid that you have rated excellent meets these standards, you should down-grade your rating to very good and answer the next 3 questions.

NOTE: IF YOU RATED THE JOB AID AS "EXCELLENT"

DO NOT ANSWER THIS QUESTION OR THE NEXT TWO QUESTIONS.

GO TO QUESTION 6

Question 3. Into how many steps has the task been divided?

Answer Choice	Scale Value
• One step	25
• Two to five steps	14
• Six to ten steps	12
 More than ten steps 	0

Definitions

For purposes of this rating you should use the number of evaluated performance measures listed in the task summary under the Evaluation Guide as the number of steps. Where there are non-evaluated sub-steps, these should also be counted. However, do not include performance measures relating to whether the soldier performed the task steps in sequence or within a certain time period. These are viewed only as "scoring steps" and not as "task steps" for this question.

If the reference material does not provide sufficient information, or if you feel that a task has not been

accurately divided into performance steps, the following guidance may be helpful:

- A step is a separate physical or mental activity within a task, which has a well-defined, observable beginning and ending point. It must be performed to complete a task correctly. Thus, "Identifying a Tank" is one step, even though a number of mental operations are needed to arrive at the correct answer (e.g., note location of turret, count number of road wheels, etc.). These operations, however, are not observable and are not scored as separate steps.
- Steps should include all safety-related activities, even though they are not directly part of the task. The step "Check Backblast Area" is an observable step and is graded when measuring proficiency on preparing the LAW for firing.
- Tasks involving assembling or disassembling a
 piece of equipment tend to be multi-step tasks.
 "Assembling the M16 Rifle" would be an example
 of a multi-step task and it is scored as such.
- A step in a higher Skill Level task (E-5 or above) may be a separate task at a lower skill level. This is as it should be, since one must assume that the procedure was learned earlier and is no longer a separate task. For example, "Identify Terrain Features" is assumed at higher skill levels and is simply one step in a task such as "Navigate with a Map." At Skill Level One it is a separate task with many steps of its own.

Note that this question is skipped if the job aid for this task was judged to be excellent. This is consistant with the definition of an excellent job aid as one that provides the soldier with complete information about each of the steps of the task. Obviously, the number of steps in a task would be irrelevant to the soldier who had forgotten them if the job aid presented them clearly and completely.

If steps are repeated in a task, the instruction to repeat them should be counted as a step, but the repeated steps themselves should not be recounted. For example, when shifting indirect fire the soldier would repeat the steps of estimating range, and communicating information to the gun crew several times until the target was destroyed. Each repetition would not constitute a separate step.

If it is agreed that there are clearly more than 10 steps to a task, there is no point in trying to resolve differences of opinion about the actual number. Anything over 10 is given a 0 Scale Value regardless of the actual number.

Determine your answer. Enter the Scale Value for this answer on the Rating Form in the third column labeled "Number of Steps."

If you select the first answer (One step), skip to Question 6.

NOTE: IF THE TASK HAS ONLY ONE STEP, GO TO QUESTION 6

Question 4. Are the steps in the task required to be performed in a definite sequence?

Answer Choice	Scale Value
None are	10
• All are	5
 Some are and some are not 	o

Definitions

Some tasks are composed of steps that can be performed in any sequence. For example, "Identify Terrain Features on a Map" is a task that is not scored for sequence in the evaluation guide of the task summary. Such tasks should be given a Scale Value of "10".

Other tasks, such as "Splint a Fracture," are made up of steps that have only one correct sequence. Failure to follow the particular sequence results in a "NO GO" on that task. These tasks should be given a Scale Value of "5".

A task that is a mixture of sequenced and non-sequenced steps should be given a Scale Value of "O". "Perform Operator Maintenance on an M16Al Rifle" is such a task.

Only steps 1-5 are scored for sequence.

The reasoning behind this question is that it is easier to remember to do a task when sequence does not matter. However, if sequence is scored, it is easier to remember a specific sequence for all steps than for only some of the steps.

If a task, or parts of it, are supposed to be performed in sequence, there must be a statement to that effect in the task summary; e.g., "Do, in order, all steps to clear the object from the casualty's throat." In the absence of any statement about sequence, it should be assumed that sequence for that task is not scored, even though there may be a natural or preferred order to doing the steps.

Choose your answer. Enter the Scale Value for your answer in the fourth column (labeled "Sequence") of the Rating Form.

NOTE: IF THE YASK HAS ONLY 1 STEE

SKIP THIS QUESTION AND GO TO

QUESTION 6

Question 5. Does the task provide built-in feedback so that you can tell if you are doing each step correctly?

A n	swer Choice					Scale	Value
•	Has built-in	feedback	for a	11 s	teps		22
•	Has built-in		for m	nost	s teps		19
•	Has built-in (up to 50%)	feedback	for o	only	a few	steps	11
•	Has no built	-in feed ba	ack				0

Definitions

Examples of tasks that provide built-in feedback are:

- Disassembling a piece of equipment in which removing one section automatically uncovers the next section (e.g., opening up a container to remove contents).
- Equipment operation in which the steps form a logical or natural progression. For example, radio operators are expected to adjust or turn on several dozen switches in a certain order when "powering up" their radio sets. However, the equipment is arranged so that the operator can follow a natural right-to-left or left-to-right progression.

- Assembling a subpart that does not fit the larger assembly, thus indicating that some earlier step was incorrect.
- Any task where there is some observable effect due to the soldiers' actions, e.g., warning light, buzzer, meter reading, and the like.

For some tasks, the completion of the task provides an automatic check on the correctness of it. For example, "Changing a Tire" would have some of those characteristics (e.g., parts left over, wheel does not turn). The impact of an artillery round would have a similar effect. However, such end-of-task feedback may not assist the soldier in performing the steps of the task correctly in the first place, and should not be considered in answering this question.

The important point to consider in selecting an answer to this question is whether the feedback to the soldier indicates the correctness of his performance at each step. Feedback that simply indicates that the step was completed is not the kind of feedback that this question is addressing.

Steps that have the least built-in feedback tend to have many branching routines ("If A, then B"), or have safety checks that break the flow of a task's steps (e.g., "Place the selector on SAPE before cleaning the rifle").

Do not confuse the feedback that a performance test administrator may give to a soldier to allow him to continue

the test after an error is made, with the feedback that is being addressed by this question. We are concerned only with feedback that is an inherent part of the task, not an artifact introduced by test conditions.

Before answering this question you may wish to look back to question 3 to see how many steps you identified for the task. You need to consider each of them in arriving at the correct answer to this question.

Enter the Scale Value for your answer on the Rating Form in the column headed "Feedback."

Question 6. Does the task or part of the task have a time limit for its completion?

Answer Choice
There is no time limit
There is a time limit, but it is fairly
easy to meet under test conditions
There is a time limit and it is difficult
0

Definitions

to meet under test conditions

The first choice means that no time limit has been established for the task or any part of the task, so that a "GO" may be achieved even though one soldier may take much longer to do the task than another soldier. This choice is also appropriate when a time limit is so liberal that no one ever fails to meet it.

The second choice above applies to those tasks, such as "Assemble the M60 Machinegun," that have a time limit that some soldiers may find difficult to meet. In this case, the task summary has set a time limit that "pressures" the average soldier a bit, but only a few would get a "NO GO" because of it.

The third choice is for tasks that have a time limit that is difficult to meet. Safety and combat-related tasks, such as "Sight a Target Through the Gunner's Telescope" within 10 seconds would fall into this category. Soldiers being tested on this kind of task often get a "NO GO" on the basis of time alone.

Time limits, if any, are indicated in the task summary in the standards section or as the last item in the list of performance steps to which they apply. Some examples are:
"Put On, Clear and Check Mask" within 9 seconds, or
"Complete Steps 1 Through 5 in 9 Seconds or Less."
(Remember, however, that the time limit statement itself is not counted as a step.) If no time limit statement is found in the task summary it may be assumed that there is none.

Question 7. How difficult are the mental processing requirements of this task?

Answer Choice	Scale	Value
Almost no mental processing requirement	ts	37
Simple mental processing requirements		28
Complex mental processing requirements		3
Very complex mental processing require	ments	0

Definitions

This question usually cannot be answered entirely on the basis of the task summary (as could the time and sequence questions) but often must be deduced from a careful reading of the summary and first-hand knowledge of the task itself. This question gets at the difficulty of the thought processes that a soldier must carry out during task performance. Such processes as often described by terms such as "thinking," "reasoning," "analyzing," "judging," "inferring", and "problem solving".

Be careful not to confuse this question with the next 2 questions which deal with the number of facts, terms, etc., that must be memorized and the difficulty of those facts, terms, etc., to memorize. Here we are concerned only with

what you have to do with the recalled information in order to perform the task currectly.

A task requires almost no mental processing if it is essentially physical, or highly repetitive (e.g., "Marching in Line," "Saluting").

A task requires simple mental processing if it involves making gross comparisons; estimating relative size, weight, or distance; or performing simple computations.

Complex mental processes require the soldier to make a choice or decision based on subtle but discrete clues (e.g., prioritizing fixed targets, identifying different types of aircraft or vehicles).

A task requires very complex mental processes if it requires rapid decisions based on detailed, technical information, often under stress (e.g., planning an attack, troubleshooting complex equipment).

In answering this question, consider the impact of a job or memory aid on the thinking requirements of this task. However, note that job aids are generally less helpful in the area of higher thought processes than they are in the areas of rote memory or proceduralized (step-following) tasks. Nevertheless, an excellent aid may reduce a very complex mental processing task to a complex mental processing task.

Question 8. How many facts, terms, names, rules or ideas must a soldier memorize in order to do the task?

Answer Choice	Scale Value
 None (or the job/memory aid 	20
provides all necessary information)	
• A few (1 - 3)	18
• Some (4 - 8)	13
• Very many (more than 8)	0

Definitions

This question gets at the number of isolated pieces of information a soldier must remember in order to do the task (not how hard it is to remember them, which is asked in the next question).

Examples of the types of information that may have to be remembered are:

- Military nomenclature (terms)
- Conversion formulas
- e Codes or call numbers
- Technical names, specifications or tolerances
- Doctrinal principles or rules of thumb

Remember to consider the impact of the job or memory aid (if any) in answering this question. If there are facts, terms, etc., that are needed in order to do the task, but some or all are covered in the job aid, your answer should reflect this.

The steps required to perform the task should not be considered in answering this question. It is the facts, terms, etc., that must be remembered to do these steps that are being addressed by this question, not the steps themselves.

This question (and the next one) do require some judgment about the level of experience of the typical soldier doing the task being rated. One could safely assume that the typical soldier who has completed AIT knows basic military terminology and concepts, and that these should not be included in deciding on the answer to this question. Those facts, terms, etc., unique to the task being rated, however, should be included.

Here again, if the number of facts, etc., is obviously greater than 8, there is no need to seek consensus on this question - it will get a Scale Value of "O" regardless of the outcome.

Select your answer and then enter the Scale Value for that answer in the column labeled "Number of Facts."

Question 9. How hard are the facts, terms, that must be remembered?

A n	swer Choice	Scale	Value
•	Not applicable - there are none to remember or the job or memory aid provides all of the needed information		34
•	Not hard at all - the information is simple		31
•	Somewhat hard - some of the information is complex		12 .
•	Very hard - the facts, rules, terms, etc., are technical or specific to the task and must be remembered in exact detail		0

Definitions

This question rates the difficulty of the facts, terms, etc., needed to do the task (even if there are only a few).

Facts and terms that have a close connection to the task itself are more likely to be remembered. For example, the terms "firing pin," and "whip antenna" have a logical relationship to their function and are easy to recall. Specific, detailed, or technical information that is unrelated to the task is more difficult to recall. Call signs and radio frequencies are examples of difficult-to-recall information since they are purposely assigned at random but must be used with precision. Also, unorganized facts and terms (e.g., much military

nomenclature) are more likely to be forgotten than facts and terms that are part of a system (e.g., the phonetic alphabet).

The amount of help provided by job and memory aids applies very directly to this question. They are often designed specifically to help the soldier recall information that is quickly forgotten (e.g., S-A-L-U-T-E).

Choose your answer and then enter the Scale Value for your answer in the column labeled "How Hard to Remember."

Question 10. What are the motor control demands of the task?

Answer Choice	Scale Value
• None	2
 Small but noticeable degree of motor control required 	0
 Considerable degree of motor control needed 	16
 Very large degree of motor control needed 	3

Definitions

This question has to do with the level of precision and/or accuracy of finger, hand and arm movements, not with large body movements. Thus a task would be given a more if it involves only sheer physical strength or simple, reflexive actions (e.g., pushing, lifting, carrying).

A small but noticeable degree of accuracy/precision is required by tasks such as driving a nail or adjusting a carburetor screw.

. A considerable degree of motor control is needed for tasks such as typing, driving a manual transmission car or tracking a moving target.

A task requiring a very large degree of demands would be the repair of a very delicate piece of equipment, such as a microcircuit chip, or sending Morse code using a key. Some tasks may combine both a strength component and a motor control component. Por example, a fairly heavy piece of equipment may have to be positioned in a precise location. In such cases, a value of considerable or even very large would be appropriate, depending on the degree of motor control required.

Almost all tasks require some speaking skills and many of them require written skills as well. While these are indeed complex motor demands, they are considered to be already in the repertory of the typical soldier, and therefore should not be included in making this rating. However, typing or sending Morse code may be an integral and unique part of a task. Therefore, they should be considered in selecting a Scale Value for this question.

While the Scale Values associated with this question may appear to be incorrect, since they are not in decending order as are all the others, they are, in fact, the correct values. A task with a small degree of motor control proves to be more difficult to remember than a task with a considerable degree of motor control. This finding is reflected in the low value for the former ("0") and the high value for the latter ("15").

Select your answer and enter the Scale Value in the column labeled "Motor Control Requirements."

III. Calculating a Total Score

This completes the instructions on the rating procedure itself. Check back to make sure you answered all the questions that apply to the task being rated. The questions you skipped (if any) should be blank on the Rating Form. All others should have a 0 or a number written in. If you rated the first question a "1" there should be a rating for the second question; if you rated the first question a "0", the second question should be blank. If question two has a rating of "56" the next 3 questions should be blank.

Remember, if you change a rating for one question then you must also change all the other questions that would be effected by that change and adjust your Total Score accordingly. (See the flow diagram on page 12 for a graphic representation of how the questions interact.)

The Total Score should be the one that reflects the input of all team members. When this process has been completed, a new Rating Form should be prepared and dated that is labeled "Approved Task Rating Form." That form will be the one kept for future reference. Subsequent changes in the way a task is performed as reflected in the task summary, will probably require that its rating be revised. At that point a new form should be prepared and dated reflecting those changes.

IV. Using the Performance Prediction Tables

The two Performance Prediction Tables (pp. 41 and 42) provide the performance predictions for tasks that have been rated. The numbers within the body of the table represent the expected proportion of soldiers in a unit able to perform a task correctly after up to 1 year of no practice since a task was last performed correctly.


The first Table gives these predictions at monthly intervals, up to 12 months. The second Table gives these estimates at weekly intervals, up to 26 weeks.

To find a specific task retention prediction, first locate the score in the left column that corresponds closest to the obtained Total Score. Then read across either Table until you reach the time interval you are concerned about (shown at the top of the Table). The Table entry at that point will be the proportion of soldiers that could be expected to perform the task correctly at that time interval.

For example, the Total Score from the Rating Form on Task X is "140." You want to know what percentage of soldiers can still perform the task 4 months after they last practiced it. The entry in the first table under "4" (months) is 36 percent. The entry in the weekly table is also 36 percent.

A second way of using the tables is as follows: If a task has a score of "140," how often should sustainment training be provided in order to have at least 50 percent of the soldiers proficient on that task at all times? Looking at the line on the table next to the value "140," we see that 46 percent is in the column headed "3" (months). This, then, is the training frequency required to sustain a level of proficiency on that task of approximately 50 percent.

A third way to use the tables is to determine what level of proficiency you would expect in your unit if you could only provide sustainment training every "X" months or weeks. By looking at the Total Score for each of your tasks you can see what the percentage is for each one under the appropriate months or weeks column. For those tasks with a rating of "130" for example, the percentage of proficiency at a 4-month frequency of training schedule is 25 percent; for tasks with a rating of "170" it is 81 percent, and so on.



Performance Prediction Table — Months

Sheet				•								
	-	~	-	-	•	•	-	-	-	2	=	2
+ 8	\$	ŝ	\$	ã	8	Ē	\$	5	8	8	\$	\$
175	6	.	8	8	67	8	2	5	2	#	2	r
51	3	8	£	5	2	22	8	\$	g	8	2	3
165	8	2	2	22	8	5	8	33	2	7	\$	3
160	2	2	2	2	. 25	2	40	8	8	g	8	8
166	2	Z	2	8	\$	42	8	5	23	æ	8	4
150	2	2	2	\$	\$	2	8	2	8	2	7	Ξ
145	2	8	3	42	8	27	2	11	7	=	•	_
140	11	8	\$	8	23	2	•	12	2	•	•	•
135	2	2	\$	8	8	2	12	•	•	•	•	~
130	2	2	R	ĸ	11	12	•	•	*	•	~	-
125	6	\$	8	8	.	•	•	~	~	-	-	•
120	8	\$	ĸ	2	5	•	•	8	-	-	0	•
115	8	R	2	5	~	•	8	-	•	•	•	0
110	Z	8	5	•	•	8	-	0	•	•	0	0
5	2	ĸ	27	•	•	-	0	0	0	0	0	•
5	‡	8	•	•	-	•	•	•	0	•	•	•
8	8	5	8	0	0	0	0	0	0	0	0	•
8	.	5	60	-	•	0	0	0	•	•	0	•
	22	10	-	0	0	0	Ô	0	0	•	•	•
BO or less	•	0	0	0	•	0	0	0	0	0	0	•

*Performance at "GO" level of Proficiency

Performance Prediction Table - Weeks

Total Score from	. ـــ م	u u									Wook	s Sin		1 Pe	form	Weeks Since Last Performance						ľ				l
Sheet	-	~	-	-	-	-	-	-	-	2	=	2	=	=	=	=	=	=	=	2	×	n	22	2	2	X
180 + 081	Š	Ş	\$	ş	5	8	5	\$	5	5	8	8	5	100	90	100	8	8	8	8	8	98	8	8	8	8
Ē	8	2	8	6	8	8	8	8	3	8	8	8	8	5	8	8	2	2	8	-	2	8	•	•	•	3
5	8	6	8	3	8	8	5	8	8	67	8	2	2	2	25	5	2	2	2	2	£	2	2	2	- F	7
3	8	8	3	8	8	8	2	2	2	5	2	2	2	2	E	2	2	8	19	8	8	8				3
Š	6	3	5	2	8	2	25	8	•	2	2	7	8	67	8	2	8	8	2	23	28	2				8
155	8	2	8	8	2	8	7	2	22	8	29	2	8	8	3	8	2	8	3	\$	\$	\$				8
051	8	5	2	2	8	2	<u>.</u> 5	2	3	2	5	8	8	23	5	\$	\$	\$	42	\$	8	31				5
98	Z	2	28	8	2	2	8	8	5	23	8	23	9	+	Ŧ	2	\$	8	R	3	S	8	•			2
	8	8	2	#	2	2	8	8	8	23	\$	\$	£	\$	8	8	8	F	8	23	2	2				2
135	8	8	2	7	8	8	8	88	5	+	₽	\$	37	8	æ	8	2	R	2	Ø	2	2				Ξ
130	5	2	#	2	3	2	2	8	\$	42	8	8	8	8	23	ĸ	8	2	5	=	5	Ξ				2
<u>5</u>	8	5	Z	6	8	2	\$	45	\$	8	ន	8	23	24	8	8	=	=	5	5	12	=				~
621	2	2	2	8	8	8	₹.	\$	g	ຣ	8	ĸ	æ	8	11	2	=	2		5	•	•		•		*
115	6	2	8	2	5	\$	8	8	8	8	ន	8	9	5	5	12	2	•	•	~	•	•	•	-	•	•
110	8	2	8	2	7	\$	8	8	X.	2	0	5	=	2	5	•	~	•	•	•	•	•		•		-
8	3	2	2	8	2	g	8	æ	2	=	Ξ	2	2	•	~	•	40	•	•	•	~	~	_	_		-
§	5	8	2	‡	8	8	24	8	₽	5	2	•	~	•	•	•	•	~	8	-	_	_		•		0
8	2	8	\$	8	8	7	2	5	=	•	~	•	•	•	8	~	_	-	-	0	•	•		0		0
8	2	8	\$	ë	Z	1	1 3	2	~	10	•	6	~	-	-	_	•	0	0	0	•	•		0		0
Æ	8	#	Ŋ	8	5	2	~	•	67	~	-	-	0	0	0	0	0	0	•	0	•	•				0
8	4	~	~	•	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	. 0	0		•		0
£	2	-	•	0	0	0	0	0	0	•	0	0	0	0	•	0	0	0	0	. •	0	•		•		
70 or hea	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		•					0
!																										

*Performance at "GO" level of Proficiency

APPENDIX C: Questionnaire Administration Protocol

- 1. I'm Chavis Patterson
- 2. I'm here from ARI, the Army Research Institute.
- 3. TRADOC has asked us to help them improve 63W training. They have some concern about how well 63W are doing their job.
- 4. The approach we're taking today is to find out if the 63W are forgetting some important material before they get a chance to practice it in the field.

We know the time it takes to forget different kinds of Army tasks but we need SMEs to tell what kinds of tasks these are.

5. That's where you come in Mr.

- 11. Lets look at the questionnaire rating form and see what it involves.
- 12. The answer sheet has the 10 items right on it.
- 13. Here's the explanation for each of the columns.
- 14. Now let's look at the tasks we're going to rate. These task lists are taken directly from the organizational manuals that the 63Ws have available.
- 15. The task name is in the center, and more specific info. is in the upper right corner. The steps for the task are listed down the left side. There is an arrow in the 4th column to show the steps that are done in sequence. The 5th column shows what the result should be, and the last two columns show the safety and tools required.
- 16. Let's look at the first task. Are you familiar with this task or should we look at another one? Is this the way the task is done or should be done? Any comments?

^{10.} ARI developed this 10-item questionnaire for field commanders so that they can find out how often they should train their people on each of their unit's tasks.

17. Now let's go to the questionnaire.

END OF ADMINISTRATION:

1.We have gotten your unbiased opinion. Next we have to get you together with the other SMEs to get a consensus opinion from all of you. Can we meet again at ____?